

Doppelmaulschlüssel Double Open Ended Spanner

DIN 3110

Specifications and Features

Chrom-Vanadium-Stahl, verchromt lange, Maulstellung 15°
Chrome Vanadium Steel, Matt Chrome Plated Position of Open Ends 15°



Ausführung / Finish

C = matt verchromt, neutral / matchrome neutral
CCS = matt verchromt, Talbro, kalt geprägt / matchrome Talbro Cold stamped

DIN 3110 - 899/NF ISO 1711-10102-691-3318



W60C-K - Sätze im Karton / Set in Card Board Box



Art-Nr.	Inhalt/Contents MM	 g.	
W60C-K/6	6x7 8x9 10x11 12x13 14x15 16x17	400	1
W60C-K/7	6x7 8x9 10x11 12x13 14x15 16x17 18x19	625	1
W60C-K/8	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22	800	1
W60C-K/8 DIN	6x7 8x9 10x11 12x13 14x15 16x17 18x19 21x22	800	1
W60C-K/10	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27	1385	1
W60C-K/010	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 24x27 30x32	1645	1
W60C-K/10 DIN	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 24x26 30x34	1640	1
W60C-K/12	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32	2380	1
W60C-K/012	6x7 8x9 10x11 10x13 12x13 14x15 16x17 17x19 18x19 20x22 24x27 30x32	1980	1
W60C-K/12 DIN	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x26 27x32 30x34	2335	1

Amerikanische Zollmaße/AF

W60C-K/6 AF	1/4x5/16-3/8x7/16-1/2x9/16-5/8x11/16- 3/4x25/32-13/16x7/8" AF	750	1
W60C-K/8 AF	1/4x5/16-3/8x7/16-1/2x9/16-5/8x11/16- 3/4x25/32-13/16x7/8-15/16x1"- 1.1/16x1.1/4" AF	1600	1
W60C-K/12 AF	1/4x5/16-3/8x7/16-1/2x9/16-19/32x11/16- 5/8x11/16-5/8x3/4-3/4x25/32- 13/16x7/8- 7/8x15/16-15/16x1"-1x1.1/8-1.1/16x1.1/4" AF	2592	1





W60C-C-Satz mit Plastikclip im Karton
Set with Plastic clip packed in box

Art-Nr.	Inhalt/Contents MM	 g.	
W60C-C/6	6x7 8x9 10x11 12x13 14x15 16x17	465	1
W60C-C/8	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22	835	1
W60C-C/12	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32	2450	1





W60C-W-Satz im Wandhalter mit Tragegriff und Abdeckung
Set on wall holder with cover

Art-Nr.	Inhalt/Contents MM	 g.	
W60C-W/8	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22	2450	1
W60C-W/12	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32	900	1





W60C-W-Satz im Wandhalter mit Tragegriff und Abdeckung
Set on wall holder with cover

Art-Nr.	Inhalt/Contents MM	 g.	
W60C-W/8	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22	2450	1
W60C-W/12	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32	900	1






W60C - PT - Satz in Tasche / Set in wallet




Art-Nr.	Inhalt/Contents MM	 g.	
W60C-PT/6	6x7 8x9 10x11 12x13 14x15 16x17	445	1

W60C-PT/8	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22	800	1
W60C-PT/12	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32	2470	1
W60C-PT/012	6x7 8x9 10x11 10x13 12x13 14x15 16x17 17x19 18x19 20x22 24x27 30x32	2240	1

SPECIFICATIONS

Art-Nr.	 MM	<L>	a1	b1	b2	 g.	
W6004053	4x5	100	3.4	12	14	15	10
W6005553	5x5.5	100	3.4	14	15	15	10
W6005573	5.5x7	122	3.5	16	18	25	10
W6006073	6x7	122	4	16	18	25	10
W6007083	7x8	140	4.2	18	20	33	10
W6007093	7x9	140	4.2	18	22	33	10
W6008093	8x9	140	4.2	20	22	40	10
W6008103	8x10	140	4.2	20	24	40	10
W6009103	9x10	140	4.2	22	24	40	10
W6009113	9x11	157	4.7	24	26	48	10
W6010113	10x11	157	4.7	24	26	50	10
W6010123	10x12	157	5	24	26	50	10
W6010133	10x13	172	5.2	26	30	65	10
W6010143	10x14	172	5.2	26	30	70	10
W6011133	11x13	172	5.2	26	30	70	10
W6011143	11x14	172	5.2	26	30	70	10
W6012133	12x13	172	5.2	28	32	70	10
W6012143	12x14	172	5.2	28	32	75	10
W6013143	13x14	186	6	32	35	100	10
W6013153	13x15	186	6	32	35	100	10
W6013163	13x16	186	6	32	35	100	10
W6013173	13/17	205	6.4	32	39	130	10
W6014153	14x15	186	6	32	35	105	10
W6014173	14x17	205	6.4	35	39	130	10
W6016173	16x17	205	6.4	35	39	135	10
W6016183	16x18	205	6.8	35	39	135	10
W6017193	17x19	221	6.8	40	42	185	10
W6017223	17x22	236	7	40	48	265	10
W6018193	18x19	221	6.8	40	42	185	10
W6019223	19x22	236	7	44	48	220	10
W6019243	19x24	245	7.5	47	52	250	5
W6020223	20x22	236	7	45	48	220	10
W6021223	21x22	236	7	45	48	220	10

W6021233	21x23	245	7.8	47	52	260	5
W6021243	21x24	245	7.8	47	52	250	5
W6022243	22x24	245	7.8	47	52	255	5
W6022273	22x27	266	8.5	52	58	340	5
W6024263	24x26	266	8.5	52	58	350	5
W6024273	24x27	266	8.5	52	58	350	5
W6024303	24x30	280	8.8	56	64	380	5
W6025283	25x28	280	8.8	56	64	400	5
W6027293	27x29	280	8.8	56	64	400	5
W6027303	27x30	280	8.8	56	64	400	5
W6027323	27x32	301	9.4	63	69	600	5
W6030323	30x32	301	9.4	64	69	600	5
W6030343	30x34	301	9.4	64	69	610	5
W6030363	30x36	328	10.5	66	76	680	5
W6032363	32x26	328	10.5	69	76	680	5
W6034363	34x36	328	10.5	69	76	700	5
W6036413	36x41	360	10.8	76	86	900	5
W6041463	41x46	410	11	86	94	1300	3
W6046503	46x50	452	12	94	103	1510	3

Art-Nr.		<L>	a1	b1	b2	 g.	
W6050683 AF	1/4x5/16	122	4.0	16	18	25	10
W6050983 AF	5/16x3/8	140	4.2	20	24	40	10
W6051283 AF	3/8x7/16	157	4.7	24	26	50	10
W6051583 AF	7/16x1/2	172	5.2	28	30	70	10
W6051883 AF	1/2x9/16	186	6.0	32	35	100	10
W6052183 AF	9/16x5/8	186	6.0	32	35	100	10
W6052483 AF	19/32x11/16	205	6.4	35	39	150	10
W6052783 AF	5/8x11/16	205	6.4	35	39	150	10
W6053083 AF	5/8x3/4	221	6.8	40	42	175	10
W6053383 AF	11/16x3/4	221	6.8	40	42	185	10
W6053683 AF	3/4x25/32	236	7.0	45	48	220	10
W6053983 AF	3/4x7/8	236	7.0	45	48	220	10
W6054283 AF	13/16x7/8	236	7.0	45	48	215	10
W6054583 AF	7/8x15/16	245	7.5	47	52	250	5
W6054883 AF	15/16x1	266	8.5	52	58	330	5

W6055183 AF	1x1.1/8	280	8.8	56	64	430	5
W6055483 AF	1.1/16x1.1/4	301	9.4	64	69	600	5
W6055783 AF	1.1/8x1.5/16	301	9.4	64	69	600	5
W6056083 AF	1.3/16x1.5/16	301	9.4	64	69	600	5

Alle Schraubenschlüssel sind in neutraler Ausführung oder mit elektrolytisch markierten Eigenmarken lieferbar; oder auch mit polierten Köpfen bzw. komplett poliert und auch in verchromt-satiniertes Ausführung, falls mit ausreichenden Mengen gerechnet werden kann.

All spanners available in neutral or electrolytically marked private brand, or with chrome plated heads, polished finish, fully polished or satin-finish, if sufficient quantities required.